

11-01-00

EXPRESS MAIL NO. EL 694 906 866

PATENT APPLICATION TRANSMITTAL LETTER

TO THE ASSISTANT DIRECTOR OF PATENTS:

Transmitted herewith for filing is the patent application identified as follows:

Inventors: Chris S. Yu

Title: Method And System For Remote Operator Interface With A Self-Service Financial Transaction Terminal

Enclosed are:

Twenty-six (26) Sheets of Specification, Claims and Abstract
Six (6) Sheets of Drawings (Figures 1-6)
Declaration and Power of Attorney for Patent Application (Unsigned)
Transmittal of Application Under 37 CFR 1.41(c)

The filing fee has been calculated as follows:

CLAIMS AS FILED				
	Number Filed/Paid For	Number Extra	Rate	Fee
BASIC FEE			\$710	\$710
TOTAL CLAIMS	35/20	15	\$18	\$270
INDEPENDENT CLAIMS	3/3	--	\$80	\$ 0
MULTIPLE DEPENDENT CLAIM PRESENT - NO			\$270	\$ 0
FEE TOTAL				\$980.00


Enclosed is a check in the amount of \$980.00 to cover the filing fees. The Director is hereby authorized to charge any additional fees required by this action, or credit any overpayment to Deposit Account No. 50-1458. A duplicate of this sheet is attached for that purpose.

Please address all correspondence and telephone calls in connection with this application to:

George T. Marcou, Esq.
Kilpatrick Stockton LLP
700 13th Street, NW, Suite 800
Washington, DC 20005
(202) 508-5800 (Phone)
(202) 508-5858 (Facsimile)

Respectfully Submitted,

Date: 10/31/00


John M. Harrington, Reg. No. 25,592 for
George T. Marcou, Reg. No. 33,014

Kilpatrick Stockton LLP
700 13th Street, NW, Suite 800
Washington, DC 20005

EXPRESS MAIL CERTIFICATE

"Express Mail" mailing label number: EL 694 906 866 US


Date of Deposit: October 31, 2000

Type of Document(s): Twenty-six (26) Sheets of
Specification, Abstract, and Claims;
Six (6) pages of drawings (Figures 1-
6);
Declaration and Power of Attorney
(Unsigned);
Transmittal of Application Under 37
CFR 1.41(c);
Patent Application Transmittal Letter
(duplicate);
Check in the amount of \$980.00;
and
Return postcard

Serial No.: Unassigned

Date Filed: Herewith

I hereby certify that the documents identified above are being deposited with
the United States Postal Service "Express Mail Post Office to Addressee" service
under 37 CFR 1.10 on the date indicated above and are addressed to the Assistant
Director for Patents, Washington, D.C. 20231.


Debra C. Jones

09702429 103400

TITLE OF THE INVENTION

**METHOD AND SYSTEM FOR REMOTE OPERATOR INTERFACE WITH A
SELF-SERVICE FINANCIAL TRANSACTION TERMINAL**

5

PRIORITY APPLICATIONS

This application claims priority to co-pending US Provisional Application
No. 60/163,000 filed November 1, 1999, entitled "Method and System of Remote
Operator Interface for a Self-Service Financial Terminal (Remote Operator
10 Interface)," and is incorporated herein by reference.

This application claims priority to co-pending US Provisional Application
Serial No. 60/162,816 filed November 1, 1999, entitled "Method And System For
Coordinating Session Activities At A Self-Service Financial Transaction Terminal
(ATM Session Manager)," and is incorporated herein by reference.

15

CROSS REFERENCE TO RELATED APPLICATIONS

This application relates to Attorney Docket No. CITI0198/T0091-195417,
filed simultaneously, entitled "Method And System For Secure Communication
20 Between A Self-Service Financial Transaction Terminal And A Remote Operator
Interface," and is incorporated herein by reference.

This application relates to Attorney Docket No. CITI0197/T0091-195418,
filed simultaneously, entitled "Method And System For Obtaining Device
Services On A Self-Service Financial Transaction Terminal," and is incorporated
25 herein by reference.

This application relates to Attorney Docket No. CITI0200/T0091-195419,
filed simultaneously, entitled "Method And System For Installing And/Or Upgrading
Software On A Self-Service Financial Transaction Terminal From A Remote
Computer," and is incorporated herein by reference.

5 This application relates to Attorney Docket No. CITI201/T0091-195422,
filed simultaneously, entitled “Method And System For Coordinating Session
Activities At A Self-Service Financial Transaction Terminal,” and is incorporated
herein by reference.

This application relates to US Provisional Application No. 60/162,673, filed November 1, 1999, entitled “Method And System For Secure
15 Communication Between A Self-Service Transaction Terminal And A Remote Operator Interface (Remote Operator Interface Security),” and is incorporated herein by reference.

This application relates to US Provisional Application No. 60/163,002, filed November 1, 1999, entitled “Method And System For Installing And/Or Upgrading Software On A Self-Service Financial Transaction Terminal From A Remote Computer (Remote Installation/Software Upgrade),” and is incorporated herein by reference.

Method And System For Remote Operator Interface With A Self-Service Financial Transaction Terminal

General information	
Study ID	1001
Study title	Investigation of the effects of a new drug on blood pressure
Study type	Randomized controlled trial
Study location	University Hospital, Department of Medicine
Study period	January 2018 to December 2019
Study status	Completed
Study sponsor	Pharmaceutical Company X
Study investigator	Dr. Jane Doe
Study protocol	Protocol 1001-2018
Study version	1.0
Study date	2020-01-15
Study contact	1234567890
Study email	john.doe@university.edu
Study phone	+1 123 456 7890
Study fax	+1 123 456 7891
Study website	www.study1001.com
Study address	123 Main Street, Suite 100, New York, NY 10001
Study zip	10001
Study country	USA
Study state	NY
Study city	New York
Study zip2	10001
Study zip3	10001
Study zip4	10001
Study zip5	10001
Study zip6	10001
Study zip7	10001
Study zip8	10001
Study zip9	10001
Study zip10	10001
Study zip11	10001
Study zip12	10001
Study zip13	10001
Study zip14	10001
Study zip15	10001
Study zip16	10001
Study zip17	10001
Study zip18	10001
Study zip19	10001
Study zip20	10001
Study zip21	10001
Study zip22	10001
Study zip23	10001
Study zip24	10001
Study zip25	10001
Study zip26	10001
Study zip27	10001
Study zip28	10001
Study zip29	10001
Study zip30	10001
Study zip31	10001
Study zip32	10001
Study zip33	10001
Study zip34	10001
Study zip35	10001
Study zip36	10001
Study zip37	10001
Study zip38	10001
Study zip39	10001
Study zip40	10001
Study zip41	10001
Study zip42	10001
Study zip43	10001
Study zip44	10001
Study zip45	10001
Study zip46	10001
Study zip47	10001
Study zip48	10001
Study zip49	10001
Study zip50	10001
Study zip51	10001
Study zip52	10001
Study zip53	10001
Study zip54	10001
Study zip55	10001
Study zip56	10001
Study zip57	10001
Study zip58	10001
Study zip59	10001
Study zip60	10001
Study zip61	10001
Study zip62	10001
Study zip63	10001
Study zip64	10001
Study zip65	10001
Study zip66	10001
Study zip67	10001
Study zip68	10001
Study zip69	10001
Study zip70	10001
Study zip71	10001
Study zip72	10001
Study zip73	10001
Study zip74	10001
Study zip75	10001
Study zip76	10001
Study zip77	10001
Study zip78	10001
Study zip79	10001
Study zip80	10001
Study zip81	10001
Study zip82	10001
Study zip83	10001
Study zip84	10001
Study zip85	10001
Study zip86	10001
Study zip87	10001
Study zip88	10001
Study zip89	10001
Study zip90	10001
Study zip91	10001
Study zip92	10001
Study zip93	10001
Study zip94	10001
Study zip95	10001
Study zip96	10001
Study zip97	10001
Study zip98	10001
Study zip99	10001
Study zip100	10001

Terminal (Global Installation Framework),” and is incorporated herein by reference.

This application relates to US Provisional Application No. 60/162,672, filed November 1, 1999, entitled “Method And System For Configuration Of Self-Service Financial Terminals For A Common Software Release (Framework For Configuration Of Self-Service Financial Terminals),” and is incorporated herein by reference.

COPYRIGHT NOTIFICATION

A portion of the disclosure of this patent document and its figures contain material that is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent files or records, but otherwise reserves all copyrights whatsoever.

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates generally to the field of self-service financial transaction terminals, such as automatic teller machines (ATMs), and more particularly to a method and system for remote operator interface with a self-service financial terminal, such as an ATM.

2. Background of the Invention

ATMs include computer applications or software running on computer hardware within the ATM which, for example, interfaces with a host computer and other remote computers connected to the ATM over a network. On ATM systems that a financial institution, such as a bank, develops and that are used in branches or other locations, there are a set of functions that are used by supervisors and operators in the branch. These operator and supervisor functions are outside of the customer

00702428 403100

applications and need to be performed on a routine basis to maintain the service to administer those ATMs.

Currently, a way that the financial institution addresses that problem is to have a text based terminal that is connected over a serial line to the ATM platform developed by the financial institution. However, for a global ATM system, as the financial institution moves into a more off-the-shelf type of environment, for example, where hardware is purchased from different ATM vendors, that solution does not work for all vendor platforms. Further, the text based terminals are not a viable solution, because the technology is out of date and the cost of those terminals is also relatively high. Therefore, there is a need for an alternative to support the use of the operator functions for maintaining and servicing the ATMs, which is also a platform independent solution.

SUMMARY OF THE INVENTION

It is a feature and advantage of the present invention to provide a method and system for remote operator access with a self-service financial terminal, such as an ATM, that enables a user to access the ATM over a standard browser from a personal computer (PC).

It is another feature and advantage of the present invention to provide a method and system for remote operator access with a self-service financial terminal that eliminates the need for a customized, highly technology dependent, specific type of device, such as a text based terminal.

It is an additional feature and advantage of the present invention to provide a method and system for remote operator access with a self-service financial terminal utilizing a client-server architecture.

It is a further feature and advantage of the present invention to provide a method and system for remote operator interface with a self-service financial terminal which supports a plurality of supervisor type functions.

It is still another feature and advantage of the present invention to provide a method and system for remote operator interface for a self-service financial terminal

that leverages Internet technology and makes the remote operator interface application very flexible and very easy to use.

It is still an additional feature and advantage of the present invention to provide a method and system for remote operator interface for a self-service financial terminal that allows the user to administer a plurality of ATMs.

To achieve the stated and other features, advantages and objects, the method and system for an embodiment of the present invention makes use of a set of web based applications for the operator functions to enable the operator to access the operator functions over a standard browser from a PC. An embodiment of the present invention makes use of a system component referred to as a remote operator interface PC. Each ATM with which the remote operator interface is used has a set of web based applications installed on it that supports the operator functions.

In an embodiment of the present invention, an operator accesses the ATM from the client PC by bringing up the browser and typing in, for example, a uniform resource locator (URL) to point to the specific ATM. The remote operator interface supports a plurality of functions including, for example, supervisory functions, and enables the user to administer a plurality of ATMs, for which it is configured, to allow the particular functions to be performed. Communication via the remote operator interface is secure over a private network or virtual private network (VPN) over the Internet. An operator must be authenticated to gain access, and the operator's entitlements may limit access.

In an embodiment of the present invention, the remote operator is allowed to access a self-service financial terminal, such as the ATM, via the browser application of a computing device, such as a personal computer, personal digital assistant (PDA), web-enabled wired or wireless telephone device, as well as a consumer device, such as a Web-TV, or a text-based terminal, such as a VT-100, coupled to the ATM over a network. The ATM is provided with one or more web server applications having a URL address. The remote operator accesses the ATM by entering the URL address for a web server application of the ATM, and the ATM and personal computer mutually authenticate one another. After mutual authentication, the remote operator

In response to a prompt, the remote operator enters a user identification on the logon screen, such as a user ID and/or a password, which corresponds to a particular user entitlement. In addition, when the remote operator session is started, the operator is prompted for selection of a preferred language for the session. The user identification is verified, and if the entered user identification is valid, a main menu of ATM operator functions is displayed for the remote operator, which corresponds to the particular user entitlement associated with the user identification.

From the main menu displayed for the remote operator, the operator enters a selection of at least one of the ATM operator functions according to the predetermined user entitlement corresponding to the user identification. The remote operator is then allowed to access an application for the selected ATM terminal operator function. The selected application that is brought up likewise corresponds to the predetermined user entitlement associated with the user identification entered by the remote operator.

Method And System For Remote Operator Interface With A Self-Service Financial Transaction Terminal

function, a view event logs in real-time function, a write event logs to file function, a start back administration function, a start command shell function, and an initialize personal identification number encryption keys function.

5 The remote operator is allowed to perform one or more tasks associated with the accessed function, and the remote operator can end the session by selecting an exit button displayed on the main menu. A feature of the remote operator interface for an embodiment of the present invention restricts operator interface with the ATM to a single operator interface at any one time. Thus, the remote operator interface cannot be used while another operator interface session of any type is in process, and
10 another operator interface session of any type cannot be performed while the remote operator interface is in process.

Additional objects, advantages, and novel features of the invention will be set forth in part in the description which follows, and in part will become more apparent to those skilled in the art upon examination of the following, or may be learned by
15 practice of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 illustrates an example overview of key components and the flow of information between the key components of the remote operator interface for an
20 embodiment of the present invention;

Fig. 2 is a flow chart which illustrates an example of the process of using the remote interface for an embodiment of the present invention, including starting and ending remote operator interface sessions;

Fig. 3 is a table which shows examples of the operator functions supported
25 through remote operator interface for an embodiment of the present invention;

Fig. 4 is a table which shows examples of operator functions that are accessible through the remote operator interface for an embodiment of the present invention and also indicates examples of functions available locally at the ATM via a local operator interface or at the integrated network controller (INC);

Fig 5 is a flow chart which illustrates an example of the use of entitlements for an embodiment of the present invention; and

Fig. 6 is a table which illustrates examples of the default language and additional languages available for language selection for an embodiment of the present invention.

DETAILED DESCRIPTION

Referring now in detail to an embodiment of the present invention, an example of which is illustrated in the accompanying drawings, Fig. 1 illustrates an example overview of key components and the flow of information between the key components of the remote operator interface for an embodiment of the present invention. Referring to Fig. 1, the remote operator interface for an embodiment of the present invention makes use, for example, of a personal computer (PC) 10 having a web browser 12 and coupled over a network 14 to one or more automatic teller machines (ATMs) 16.

On a typical NT ATM system, supervisors and branch staff rely on a suite of 'operator functions' to service and administer the machines. Operators access the operator functions on a text terminal, which is connected to an NT ATM system through a serial line. For a global ATM product, the need for the operator functions still exists. However, using the operator functions on a text terminal is no longer a viable solution. The remote operator interface for an embodiment of the present invention provides a solution for using operator functions on global ATM systems by resolving a number of issues.

Such issues include, for example, that the text terminal is an outdated product for which it is increasingly difficult to purchase new units and is expensive to maintain. In addition, serial port connection may not be available on all ATM platforms, and in order to have a vendor independent global ATM product, the solution cannot depend on availability of a serial port connection. Further, although operator functions can be used at the front screen of the ATM, that is often not the preferred arrangement. For example, it is inconvenient to use the back

administration function at the front screen, and performing operator functions at the front screen can tie up an ATM which customers may be waiting to use.

The solution offered by the remote operator interface for an embodiment of the present invention makes the operator functions accessible from the remote operator interface client PC 10 over a TCI/IP network 14. Stated simply, the remote operator interface for an embodiment of the present invention makes use of PC and network technology to replace the legacy text terminal and serial line connection. Moreover, the operator functions for global ATMs are a set of Web based applications that are accessible from the remote operator interface client PC 10 through the use of the Web browser 12.

The method and system for an embodiment of the present invention makes use of a set of web based applications for the operator functions, such that an operator 18 is able to simply access those operator or supervisor functions over a standard browser 12 from the (PC) 10, which is referred to as a remote operator interface client PC. An embodiment of the present invention totally eliminates the need for any kind of customized, highly technology dependent, specific type of device, such as a text based terminal.

As PCs have become so widely used and Internet web based technology has become such a standard, the remote operator interface for an embodiment of the present invention that is based on web technology provides an ideal solution. An embodiment of the present invention utilizes the system component referred to as the remote operator interface client PC 10 for each ATM 16. Each ATM 16 with which the remote operator interface is used is provided with a set of web based applications installed on it that supports the operator functions. Thus, in terms of the configuration, an embodiment of the present invention makes use of a client-server based architecture.

In an embodiment of the present invention, the client is the PC 10 from which an operator accesses the ATM 16 by bringing up the browser 12 and typing in a uniform resource locator (URL) to point to a specific one of the ATMs 16. On the server side, the ATM 16 has a web server which runs, for this example, the Microsoft Internet Information Server (IS). The access from the PC 10 simply goes through

this standard web application, and the operator 18 is able to bring up this application and then log into the particular one of the ATMs 16 on which the operator 18 wants to perform certain types of functions. The operator 18 then initiates those functions.

Aspects of an embodiment of the present invention address, for example, the system requirements for remote operator interface, the procedure to use remote operator interface, and the operator functions supported through remote operator interface. The system requirements include, for example, hardware, software, and network connectivity. An embodiment of the present invention utilizes at least one remote operator interface client PC 10 for the remote operator interface on global ATM systems. Examples of suitable minimum hardware requirements for PC 10 include an Intel Pentium class central processing unit (CPU), 64 MB RAM, support screen resolution of 800x600x256 colors, and an ethernet card.

In addition, in order to print transaction log information from peruse, the PC 10 should also have, for example, a Windows NT compatible printer connected to it. There are no additional hardware requirements for the global ATM systems on which the remote operator interface is used to service and administer the ATMs 16. The remote operator interface for an embodiment of the present invention functions the same way regardless of whether the ATMs 16 are from different vendors, are front-loading or rear-loading type, or are installed in through-the-wall configuration or in a branch lobby.

Software requirements for an embodiment of the present invention include vendor software, such as Microsoft Windows NT 4.0, Microsoft Internet Explorer 4.01 or above, and IRE SafeNet/Soft-PK (for secure end-to-end communication) installed on the remote operator interface client PC 10. Note that the requirement for the Internet Explorer applies to a particular release for the remote operator interface, and other releases of the remote operator interface can support any suitable browser, such as Microsoft and Netscape browsers. The operator functions accessed through the remote operator interface are integrated into the global ATM product. Therefore, all software required for the remote operator interface on the global ATM system, such as the IRE SafeNet/Soft-PK, are installed on the ATM 10 during global ATM installation.

Fig. 2 is a flow chart which illustrates an example of the process of using the remote interface for an embodiment of the present invention, including starting and ending remote operator interface sessions. The client PC 10 can be used to start a remote operator interface session on any global ATM machine 16 configured to be used with the PC 10. Referring to Fig. 2, at S1, the operator 18 starts the Web browser 12 on the client PC 10. The operator 18 enters the URL of the global ATM system 16 on which the remote operator interface session is to be used. The URL is entered, for example, as "http://NodeName/oi", where "NodeName" is the name of the global ATM system 16.

Referring further to Fig. 2, at S2, the global ATM 16 and the client PC 10 mutually authenticate one another. At S3, after mutual authentication, the remote operator interface session is started, and a user sign on screen is displayed for the operator 18 on a new Web browser window on the client PC 10. From this point onward, the procedure for using the remote operator interface and local operator interface, for example, at the front screen of the ATM 16, is identical. At S4, the operator 18 enters a user name and password. After the operator 18 enters a valid remote operator interface user name and password, at S5, the remote operator interface displays its main menu, from which the operator 18 can make a menu selection at S6.

Referring again to Fig. 2, at S7, the operator 18 can end the remote operator interface session by selecting the 'exit' button at the main remote operator interface menu. At S8, this also causes the new browser window to be closed automatically. Terminating a remote operator interface session by closing the browser window should be avoided, as it may not provide an opportunity for an operator function to complete normally.

An aspect of an embodiment of the present invention involves designing a restriction into the remote operator interface by which only one operator interface session is allowed at any time. Therefore, if a local operator interface session is already started, for example, at the front display of a global ATM machine, other operators are unable to start a remote operator interface session on the same global ATM machine. Similarly, if a remote operator interface is already in session, other

operators cannot bring up either a local operator interface session or another remote operator interface session. Allowing only a single operator interface session, either local or remote, eliminates the possibility that multiple operator interface sessions can interfere with one another.

5 The remote operator interface for an embodiment of the present invention supports a number of operator functions, such as rebooting the ATM, performing a stop or immediate stop of the ATM, starting the ATM, configuring the ATM or viewing the ATM configuration, and allowing the operator to look at what software releases are installed on the ATM. The remote operator interface also supports such
10 functions as viewing the overall status of the ATM in terms of all the peripheral devices, such as whether they are functioning or not, and the connections to the host system, such as whether the connection is available or not, and/or the connection to the system management node, and whether that connection is available up or down.

In addition, other operator functions supported by the remote operator
15 interface for an embodiment of the present invention include, for example, looking specifically at the connectivity with the system management and with the host and providing the node address of the host. Additional operator functions supported by the remote operator interface also include, for example, looking at the transaction log which keeps a history of detailed transaction records for the activities that are
20 performed by customers at the ATM, so that through the remote operator interface, a supervisor at the branch can use information in the transaction log to pinpoint whether a customer has performed a certain transaction in situations, for example, where there are disputes or where reconciliations are needed.

Additional operator functions supported by the remote operator interface for
25 an embodiment of the present invention include, for example, looking at the system event logs on the machine in terms of finding out when certain system wide events or device related failures occurred. Those events are logged in, and the supervisor or a field engineer is able to find out more detailed information about those type of events. Additionally, other operator functions include, for example, starting up,
30 running administration functions to reconcile the transaction history between the ATM and the back-end host, and performing settlement.

Fig. 3 is a table which shows examples of the operator functions supported through remote operator interface for an embodiment of the present invention.

Referring to Fig. 3, operator functions supported through remote operator interface for an embodiment of the present invention include, for example, rebooting the ATM 20, stopping the ATM 22, stopping the ATM immediately 24, starting the ATM 26, configuring the ATM 28, viewing the ATM configuration 30, viewing software release information 32, viewing the ATM status 34, viewing the INC and host connection status 36, starting peruse 38, viewing event logs 40, viewing event logs in real time 42, writing event logs to file 44, starting back administration 46, starting the command shell 48, and initializing PIN encryption keys 50.

Referring further to Fig. 3, the reboot operator function 20 involves, for example, waiting for an active customer session to complete and then performing an orderly shutdown of infrastructure software and NT before rebooting NT and restarting infrastructure and application software. The stop ATM operator function 22 involves, for example, stopping the application and infrastructure software. This stop function 22 waits for a customer session to complete within a timeout period. Stop operation 22 causes the devices to be reinitialized at the XFS level (XFS defines a standard for application control of specialized ATM peripherals). In addition, the Web browser at the global ATM 16 is terminated and re-started. The stop operation 22 affects only the application and infrastructure software, and NT is not shutdown or rebooted.

Referring again to Fig. 3, the stop ATM immediately function 24 works the same as the stop ATM function 22 except that the stop takes effect immediately without waiting for a customer session to finish. The start ATM function 26 is invoked by the operator 18 to restart infrastructure and application software on the ATM 16 after using the stop function 22 or the stop immediate function 24. The configure ATM function 26 is used to configure or reconfigure various ATM node specific parameters, such as ATM TCP addresses, an integrated network controller (INC) node name, an INC node TCP address, business name, business address, and/or time zone. Configuration can be done either manually, or via data downloaded from the INC. The configure ATM function 26 also configures the

Description of data		Number of observations
1990	1990	100
1991	1991	100
1992	1992	100
1993	1993	100
1994	1994	100
1995	1995	100
1996	1996	100
1997	1997	100
1998	1998	100
1999	1999	100
2000	2000	100
2001	2001	100
2002	2002	100
2003	2003	100
2004	2004	100
2005	2005	100
2006	2006	100
2007	2007	100
2008	2008	100
2009	2009	100
2010	2010	100
2011	2011	100
2012	2012	100
2013	2013	100
2014	2014	100
2015	2015	100
2016	2016	100
2017	2017	100
2018	2018	100
2019	2019	100
2020	2020	100
2021	2021	100
2022	2022	100
2023	2023	100
2024	2024	100
2025	2025	100
2026	2026	100
2027	2027	100
2028	2028	100
2029	2029	100
2030	2030	100
2031	2031	100
2032	2032	100
2033	2033	100
2034	2034	100
2035	2035	100
2036	2036	100
2037	2037	100
2038	2038	100
2039	2039	100
2040	2040	100
2041	2041	100
2042	2042	100
2043	2043	100
2044	2044	100
2045	2045	100
2046	2046	100
2047	2047	100
2048	2048	100
2049	2049	100
2050	2050	100
2051	2051	100
2052	2052	100
2053	2053	100
2054	2054	100
2055	2055	100
2056	2056	100
2057	2057	100
2058	2058	100
2059	2059	100
2060	2060	100
2061	2061	100
2062	2062	100
2063	2063	100
2064	2064	100
2065	2065	100
2066	2066	100
2067	2067	100
2068	2068	100
2069	2069	100
2070	2070	100
2071	2071	100
2072	2072	100
2073	2073	100
2074	2074	100
2075	2075	100
2076	2076	100
2077	2077	100
2078	2078	100
2079	2079	100
2080	2080	100
2081	2081	100
2082	2082	100
2083	2083	100
2084	2084	100
2085	2085	100
2086	2086	100
2087	2087	100
2088	2088	100
2089	2089	100
2090	2090	100
2091	2091	100
2092	2092	100
2093	2093	100
2094	2094	100
2095	2095	100
2096	2096	100
2097	2097	100
2098	2098	100
2099	2099	100
2100	2100	100
2101	2101	100
2102	2102</	

5

10

25

operator 18. The initialize PIN encryption keys function 50 initializes or re-initializes PIN encryption keys entered by the operator 18.

Fig. 4 is a table which shows examples of operator functions that are accessible through the remote operator interface for an embodiment of the present invention and also indicates examples of functions available locally at the ATM 16 via a local operator interface or at the INC. On ATMs configured with an operator panel, functions, such as shutdown and starting diagnostics are provided through the operator panel. However, for ATMs not so configured, these functions can also be provided by the remote operator interface. In addition, certain functions, such as starting peruse 38 and viewing event logs 40 require use of a keyboard for full functionality.

The overall solution provided by the remote operator interface for an embodiment of the present invention entails the concept of allowing an operator with privileges or entitlements, such as operator 18, to access an ATM 16 over the network 14. The term "remote" is used herein in the sense that the PC 10 which accesses the ATM 16 can be located, for example, in close proximity to the ATM itself, or it can be as remote as anywhere else in the world, as long as network connectivity allows the PC 10 to communicate with the ATM 16. That affords maximum flexibility and also leverages the Internet technology that makes the remote operator interface application both highly flexible and extremely easy to use.

In addition, the remote operator interface for an embodiment of the present invention allows the operator 18 the ability to administer all the ATMs 16 for which it is configured to allow those types of functions to be performed. For example, a branch may have two ATMs or may have ten ATMs on it, and one remote operator interface PC 10 is required to use the remote operator interface. In other words, it is only a matter of pointing to different ATMs in the URL to allow the operator 18 to bring up the operator functions on a particular ATM, such as one of ATMs 16. Thus, one of the benefits of using web based technology for an embodiment of the present invention is that it affords a great deal of flexibility, as well as cost saving benefits, in terms of eliminating the need for more than one type of terminal or device on which the operator interface is used.

5

10

20

25

5

10

20

30

5 In an embodiment of the present invention, all the applications are actually running on the server side or the ATM side. Thus, the remote operator interface for an embodiment of the present invention is a web server based application. There is actually nothing that is running on the client or the browser side, other than simply the information that is displayed. That information, i.e., the connection between the browser and the server, is all secured through the IPSECurity (IPSec) security protocol 52.

Another aspect for an embodiment of the present invention provides multi-lingual support. When a remote operator interface session is started, a default language is assigned to the session. The default language assigned is based on the country in which the ATM 16 is located. Fig. 6 is a table which illustrates examples of the default language and additional languages available for language selection for an embodiment of the present invention. The default language is used to prompt the operator for the language selection, and for the caption on the exit button. If a particular country supports only one language, a language selection screen is not

displayed. For other countries, for example, English is used as the default language. If no other language is supported, a language selection screen is not displayed. Before an ATM 16 is configured, when the AcquirerCountryCode is not specified, the default language is English.

- 5 Various preferred embodiments of the invention have been described in fulfillment of the various objects of the invention. It should be recognized that these embodiments are merely illustrative of the principles of the present invention. Numerous modifications and adaptations thereof will be readily apparent to those skilled in the art without departing from the spirit and scope of the present invention.

10

0970428-109100

What is claimed is:

1. A method for remote operator interface with a self-service financial terminal, comprising:
 - allowing the remote operator to access the self-service financial terminal via a browser application of a computing device;
 - receiving the remote operator's entry of a user identification;
 - displaying a menu of self-service financial terminal operator functions for the remote operator;
 - receiving the remote operator's selection of at least one of the self-service financial terminal operator functions; and
 - allowing the remote operator to access an application for the selected self-service financial terminal operator function.
2. The method of claim 1, wherein allowing the remote operator to access the terminal further comprises allowing the remote operator to access the self-service financial terminal via the browser application of the computing device coupled to the self-service financial terminal.
3. The method of claim 2, wherein allowing the remote operator to access the terminal further comprises allowing the remote operator to access the self-service financial terminal via the browser application of the computing device coupled to the self-service financial terminal over a network.
4. The method of claim 1, wherein allowing the remote operator to access the terminal further comprises allowing the remote operator to access the terminal via the browser application of a personal computing device.
5. The method of claim 4, wherein allowing the remote operator to access the terminal further comprises receiving the remote operator's entry of a URL address for the terminal by the browser application of the personal computing device.
6. The method of claim 5, wherein allowing the remote operator to access the terminal further comprises receiving the remote operator's entry of the URL address for a web server application of the terminal by the browser application of the personal computing device.

7. The method of claim 1, wherein allowing the remote operator to access the terminal further comprises mutually authenticating the terminal and computing device with one another.

8. The method of claim 1, wherein receiving the entry of the user identification further comprises receiving the remote operator's entry on a logon screen displayed at the computing device.

9. The method of claim 1, wherein receiving the entry of the user identification further comprises receiving the remote operator's entry of the user identification corresponding to a user entitlement.

10. The method of claim 9, wherein receiving the entry of the user identification further comprises receiving the remote operator's entry of at least one of a user ID and a password associated with the user entitlement.

11. The method of claim 1, wherein receiving the entry of the user identification further comprises prompting the remote operator for selection of a preferred language.

12. The method of claim 1, wherein receiving the entry of the user identification further comprises verifying the user identification.

13. The method of claim 1, wherein displaying the menu further comprises displaying the menu of terminal operator functions according to a predetermined user entitlement corresponding to the user identification.

14. The method of claim 1, wherein displaying the menu further comprises displaying the menu of terminal operator functions selected from a group of operator functions consisting of a reboot function, a stop function, stop immediately function, a start function, a configure function, a view configuration function, a view software release information function, a view status function, a view integrated network controller and host connection status function, a start peruse function, a view event logs function, a view event logs in real-time function, a write event logs to file function, a start back administration function, a start command shell function, and an initialize personal identification number encryption keys function.

15. The method of claim 1, wherein receiving the remote operator's selection further comprises receiving the selection according to a predetermined user entitlement corresponding to the user identification.

16. The method of claim 1, wherein allowing the remote operator to
5 access the application for the selected function further comprises allowing the remote operator to access the application for the selected function according to a predetermined user entitlement corresponding to the user identification.

17. The method of claim 1, wherein allowing the remote operator to
10 access the application for the selected function further comprises allowing the remote operator to access the application for the selected function selected from a group of operator functions consisting of a reboot function, a stop function, stop immediately function, a start function, a configure function, a view configuration function, a view software release information function, a view status function, a view integrated network controller and host connection status function, a start peruse function, a
15 view event logs function, a view event logs in real-time function, a write event logs to file function, a start back administration function, a start command shell function, and an initialize personal identification number encryption keys function.

18. A system for providing remote operator interface with a self-service financial terminal, comprising:
20 means for allowing the remote operator to access the self-service financial terminal via a browser application of a computing device;
means for receiving the remote operator's entry of a user identification;
means for displaying a menu of self-service financial terminal
25 operator functions for the remote operator;
means for receiving the remote operator's selection of at least one of the self-service financial terminal operator functions; and
means for allowing the remote operator to access an application for the selected self-service financial terminal operator function.

30 19. The system of claim 18, wherein the means for allowing the remote operator to access the terminal further comprises means for allowing the remote

operator to access the self-service financial terminal via the browser application of the computing device coupled to the self-service financial terminal.

20. The system of claim 19, wherein the means for allowing the remote operator to access the terminal further comprises means for allowing the remote operator to access the self-service financial terminal via the browser application of the computing device coupled to the self-service financial terminal over a network.

21. The system of claim 18, wherein the means for allowing the remote operator to access the terminal further comprises means for allowing the remote operator to access the terminal via the browser application of a personal computing device.

22. The system of claim 21, wherein the means for allowing the remote operator to access the terminal further comprises means for receiving the remote operator's entry of a URL address for the terminal by the browser application of the personal computing device.

23. The system of claim 22, wherein the means for allowing the remote operator to access the terminal further comprises means for receiving the remote operator's entry of the URL address for a web server application of the terminal by the browser application of the personal computing device.

24. The system of claim 18, wherein the means for allowing the remote operator to access the terminal further comprises means for mutually authenticating the terminal and computing device with one another.

25. The system of claim 18, wherein the means for receiving the entry of the user identification further comprises means for receiving the remote operator's entry on a logon screen displayed at the computing device.

26. The system of claim 18, wherein the means for receiving the entry of the user identification further comprises means for receiving the remote operator's entry of the user identification corresponding to a user entitlement.

27. The system of claim 26, wherein the means for receiving the entry of the user identification further comprises means for receiving the remote operator's entry of at least one of a user ID and a password associated with the user entitlement.

28. The system of claim 18, wherein the means for receiving the entry of the user identification further comprises means for prompting the remote operator for selection of a preferred language.

29. The system of claim 18, wherein the means for receiving the entry of
5 the user identification further comprises verifying the user identification.

30. The system of claim 18, wherein the means for displaying the menu further comprises means for displaying the menu of terminal operator functions according to a predetermined user entitlement corresponding to the user identification.

10 31. The system of claim 18, wherein the means for displaying the menu further comprises means for displaying the menu of terminal operator functions selected from a group of operator functions consisting of a reboot function, a stop function, stop immediately function, a start function, a configure function, a view configuration function, a view software release information function, a view status
15 function, a view integrated network controller and host connection status function, a start peruse function, a view event logs function, a view event logs in real-time function, a write event logs to file function, a start back administration function, a start command shell function, and an initialize personal identification number encryption keys function.

20 32. The system of claim 18, wherein the means for receiving the remote operator's selection further comprises means for receiving the selection according to a predetermined user entitlement corresponding to the user identification.

33. The system of claim 18, wherein the means for allowing the remote operator to access the application for the selected function further comprises means
25 for allowing the remote operator to access the application for the selected function according to a predetermined user entitlement corresponding to the user identification.

34. The system of claim 18, wherein the means for allowing the remote operator to access the application for the selected function further comprises means
30 for allowing the remote operator to access the application for the selected function selected from a group of operator functions consisting of a reboot function, a stop

function, stop immediately function, a start function, a configure function, a view configuration function, a view software release information function, a view status function, a view integrated network controller and host connection status function, a start peruse function, a view event logs function, a view event logs in real-time
5 function, a write event logs to file function, a start back administration function, a start command shell function, and an initialize personal identification number encryption keys function.

35. A method for remote operator interface with a self-service financial terminal, comprising:

- 10 providing the self-service financial terminal with a web server application having a URL address;
allowing the remote operator to enter the URL address for the web server application on a browser application of a computing device coupled to the self-service financial terminal over a network;
15 displaying a logon screen at the personal computer for the remote operator;
receiving entry of a user identification for the remote operator at the personal computer;
displaying a menu of self-service financial terminal operator functions
20 for the remote operator according to a predetermined entitlement corresponding to the user identification;
receiving the remote operator's selection of at least one of the self-service financial terminal operator function; and
allowing the remote operator to access an application for the selected
25 self-service financial terminal operator function.


ABSTRACT

A method and system for remote operator interface with a self-service transaction terminal, such as an ATM makes use of a set of web based applications
5 for operator functions to enable the remote operator to access the operator functions over a standard browser from a remote operator interface client PC. Each ATM with which the remote operator interface is used has a set of web based applications that supports the operator functions. The operator accesses the ATM from the client PC by bringing up the browser and entering a URL to point to a specific ATM. The
10 remote operator interface supports a plurality of supervisory type functions and enables the user to administer a plurality of ATMs for which it is configured to allow the particular functions to be performed. Communication via the remote operator interface is secure over a private network or virtual private network (VPN) over the Internet. The remote operator must be authenticated to gain access, and the
15 operator's entitlements may limit access.

T0091-195421
WINLIB01:844608.01

20

09702423-103400






FIG. 2

Reboot	20
Stop ATM	22
Stop ATM immediately	24
Starting ATM	26
Configure ATM	28
View ATM Configuration	30
View software release information	32
View ATM status	34
View INC and Host Connection Status	36
Start peruse	38
View event logs	40
View event logs in real time	42
Write event logs to file	44
Start back administration	46
Start command shell	48
Initialize PIN encryption keys	50

FIG. 3

Operator Functions	Remote OI	Local OI	INC
Reboot	yes	yes	yes
Shutdown	no	no	no
Start/stop/stop immediate	yes	yes	yes
Configure ATM	no	yes	no
View ATM configuration	no	yes	no
View software release information	yes	yes	yes
View ATM status	yes	yes	yes
View INC and host connection status	yes	yes	yes
Start peruse	yes	yes	yes
View event logs	yes	yes	yes
View event logs in real-time	yes	yes	no
Write event logs to file	yes	no	no
Start administrative functions	yes	yes	no
Start diagnostics (utility provided by vendor)	no	no	no
View information – administrative functions	yes	yes	no
Initialize PIN encryption keys	no	yes	no

FIG. 4




FIG. 5

Country	Default Language	Additional Languages for Selection
Belgium	Dutch	French, English
France	French	English
Germany	German	English
Greece	English	
Hungary	English	
Italy	Italian	English
Spain	Spanish	Catalan, English
UK	English	
U.S.	English	

FIG. 6

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: Method And System For Remote Operator Interface With A Self-Service Financial Transaction Terminal; the specification of which

☒ is attached hereto.

☐ was filed on _____ as

☐ Application Serial No. _____

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent of inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

			Priority Claimed	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ Yes	_____ No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>60/163,000</u> (Application Serial No.)	<u>11/1/99</u> (Filing Date)	<u>Pending</u> (Status) (patented, pending, abandoned)
<u>60/162,816</u> (Application Serial No.)	<u>11/1/99</u> (Filing Date)	<u>Pending</u> (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

00704409 "B2420260"

EXPRESS MAIL NO. EL 694906 866**English Language Declaration**

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.


George T. Marcou, Registration No. 33,014; Richard Peterson, Registration No. 35,320; Charles W. Calkins, Registration No. 31,814; John M. Harrington, Registration No. 25,592; Bambi F. Walters, Registration No. 45,197; A. Jose Cortina, Registration No. 29,733; James J. Bindseil, Reg. No. 42,326; Benjamin Driscoll, Registration No. 41,571; Yoncha L. Kundupoglu, Registration No. 41,130; John Ball, Registration No. 44,433; Dawn-Marie Bey, Registration No. 44,442; and Tiep Nguyen, Registration No. 44,465.

Send Correspondence to:

Direct telephone calls to:

George T. Marcou
Kilpatrick Stockton LLP
Suite 800
700 - 13th Street, N.W.
Washington, D.C. 20005

George T. Marcou
(202) 508-5800

Full name of First inventor: Chris S. Yu	
First Inventor's Signature	Date
Residence Address: 15579 La Subida Drive, Hacienda Heights, CA 91745	
Citizenship: USA	
Post Office Address: 15579 La Subida Drive, Hacienda Heights, CA 91745	
	

T0091-195421
WINLIB01:853270.1

DO NOT WRITE IN THESE SPACES